

**TECHNICAL DATA SHEET**

Effective date: 04.2019

Titanium dioxide

**INFORMATION ON SUBSTANCE / MIXTURE**

INCI	Titanium dioxide
Description	Anatase TiO <sub>2</sub> powder
Color index	Pigment White 6 (77891)

**TECHNICAL DATA**

**Physical parameters**

Appearance	Solid, powder
Color	White
Odor	Odorless
Surface treatment	None
TiO <sub>2</sub> content	> 99%
Standard classification	A 1
ASTM D 476	Type I
Density	3.8 g/cm <sup>3</sup>
Oil absorption	19 g/100 g pigment
Acid stability	Excellent
Alkali stability	Good
Volatile matter (105°C)	Max 0,5 %

**Chemical parameters**

Heavy metals	ppm
Lead	0 - 10
Arsenic	0 - 1
Mercury	0 - 1
Chromium	0 - 50
Nickel	0 - 50
Zinc	0 - 50
Copper	0 - 50

**TECHNICAL DATA SHEET**

Effective date: 04.2019

Titanium dioxide

Barium	0 - 50
Cadmium	0 - 1
Antimony	0 - 50
Particle Size Distribution	Median, mass based d50w : 0.36 µm Median, number based d50n : 0.26 µm Mode, mass based : 0.34 µm    Distribution Width s : 0.16 Fraction > 0.6 µm : 13.03 %    Fraction < 0.2 µm : 3.70 %

**TRANSPORT, STORAGE and SHELF LIFE**

Storage conditions	Store in closed containers, keep dry and avoid humidity.
Shelf Life	5 years, in closed packaging and the recommended conditions.
Custom tariff	-

**LEGISLATION**

Certification	-
EU - 1223/2009/EC <sup>[1]</sup>	Annex IV, Part 1 : CI 77891 *
EU - 231/2012/EU <sup>[1]</sup>	E 171
USA	Titanium dioxide **
JAPAN	Titanium dioxide
CHINA	CI 77891 *
Food grade	Foodstuff coloring agent E171
EINECS	236-675-5
CAS	13463-67-7
REACH Registration No.	01-2119489379-17-xxxx

\* Product type, body parts : allowed in all cosmetics. \*\* exempt from certification ; for coloring cosmetics, including cosmetics applied to the area of the eye. [1] including amendments

**DISCLAIMER**

All warranty claims in respect to the conformity of our product are subject to our General Terms and Conditions of Sale and Delivery. The data listed above reflects the results of the manufacturer or our supplier quality tests. We do not hereby make any express or implied warranty, whether for specific properties or for fitness for any particular application or purpose. All values are valid for the product when dispatched from the works. We recommend you perform your own quality and or identification checks on receipt.